Amendments to the Claims:

- 1-27. (canceled)
- 28. (currently amended) An isolated nucleic acid <u>encoding a polypeptide</u> having at least 80% nucleic acid sequence identity to:
- (a) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:229 shown in Figure 132 SEQ ID NO:229);
- (b) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:229 shown in Figure 132 SEQ ID NO:229), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 132 SEQ ID NO:229);
- (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 132 SEQ-ID-NO:229), lacking its associated signal peptide;
 - (e) the nucleic acid sequence shown in Figure 131 SEQ ID NO:228);
- [[(f)]] (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:228 shown in Figure 131 SEQ ID NO:228); or
- [[(g)]] (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203268,

wherein the encoded polypeptide promotes proliferation of inner ear supporting cells.

- 29. (currently amended) The isolated nucleic acid of Claim 28 encoding a polypeptide having at least 85% nucleic acid sequence identity to:
- (a) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:229 shown in Figure 132 SEQ ID NO:229);
- (b) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:229 shown in Figure 132 SEQ ID NO:229), lacking its associated signal peptide;

- (c)—a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 132 SEQ ID NO:229);
- (d)—a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 132 SEQ ID NO:229), lacking its associated signal peptide;
 - (e) the nucleic acid sequence shown in Figure 131 SEQ ID NO:228);
- [[(f)]] (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:228 shown in Figure 131 SEQ ID NO:228); or
- [[(g)]] (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203268, wherein the encoded polypeptide promotes proliferation of inner ear supporting cells.
- 30. (currently amended) The isolated nucleic acid of Claim 28 encoding a polypeptide having at least 90% nucleic acid sequence identity to:
- (a) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:229 shown in Figure 132 SEQ ID NO:229);
- (b) <u>a nucleic acid sequence encoding</u> the <u>amino acid sequence of the</u> polypeptide <u>of SEQ ID NO:229</u>shown in Figure 132 SEQ ID NO:229), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 132 SEQ ID NO:229);
- (d)—a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 132 SEQ ID NO:229), lacking its associated signal peptide;
 - (e) the nucleic acid sequence shown in Figure 131-SEQ ID NO:228);
- [[(f)]] (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:228 shown in Figure 131 SEQ ID NO:228); or
- [[(g)]] (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203268,

wherein the encoded polypeptide promotes proliferation of inner ear supporting cells.

- 31. (currently amended) The isolated nucleic acid of Claim 28 encoding a polypeptide having at least 95% nucleic acid sequence identity to:
- (a) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:229shown in Figure 132 SEQ ID NO:229;
- (b) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:229 shown in Figure 132 SEQ ID NO:229, lacking its associated signal peptide;
- (c)—a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 132 SEQ ID NO:229);
- (d)—a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 132 SEQ ID NO:229), lacking its associated signal peptide;
 - (e) the nucleic acid sequence shown in Figure 131 SEQ ID NO:228);
- [[(f)]] (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:228 shown in Figure 131 SEQ ID NO:228); or
- [[(g)]] (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203268.

wherein the encoded polypeptide promotes proliferation of inner ear supporting cells.

- 32. (currently amended) The isolated nucleic acid of Claim 28 encoding a polypeptide having at least 99% nucleic acid sequence identity to:
- (a) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:229 shown in Figure 132-SEQ ID NO:229);
- (b) a nucleic acid sequence encoding the amino acid sequence of the polypeptide of SEQ ID NO:229 shown in Figure 132 SEQ ID NO:229, lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 132 SEQ ID NO:229);

- (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 132 SEQ ID NO:229), lacking its associated signal peptide;
 - (e) the nucleic acid sequence shown in Figure 131 SEQ ID NO:228);
- [[(f)]] (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:228 shown in Figure 131-SEQ ID NO:228); or
- [[(g)]] (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203268,

wherein the encoded polypeptide promotes proliferation of inner ear supporting cells.

- 33. (currently amended) An isolated nucleic acid comprising:
- (a) a nucleic acid sequence encoding the polypeptide of SEQ ID NO:229 shown in Figure 132 SEO ID NO:229);
- (b) a nucleic acid sequence encoding the polypeptide of SEQ ID NO:229shown in Figure 132 SEQ ID NO:229), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide-of SEQ ID NO:229 shown in Figure 132 SEQ ID NO:229);
- (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 132 SEQ ID NO:229), lacking its associated signal peptide;
 - [[(e)]] (c) the nucleic acid sequence shown in Figure 131 SEQ ID NO:228);
- [[(f)]] (d) the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:228shown in Figure 131 SEQ ID NO:228); or
- [[(g)]] (e) the full-length coding sequence of the cDNA deposited under ATCC accession number 203268.
- 34. (currently amended) The isolated nucleic acid of Claim 33 comprising a nucleic acid sequence encoding the polypeptide of SEQ ID NO:229 shown in Figure 132 SEQ ID NO:229).

- 35. (currently amended) The isolated nucleic acid of Claim 33 comprising a nucleic acid sequence encoding the polypeptide of SEQ ID NO:229 shown in Figure 132 SEQ ID NO:229), lacking its associated signal peptide.
- 36. (currently amended) The isolated nucleic acid of Claim 33 comprising a nucleic acid sequence encoding the extracellular domain of the polypeptide-of SEQ ID NO:229 shown in Figure 132 SEQ ID NO:229).
 - 37. (canceled)
- 38. (currently amended) The isolated nucleic acid of Claim 33 comprising the nucleic acid sequence of SEQ ID NO:228shown in Figure 131 SEQ ID NO:228).
- 39. (currently amended) The isolated nucleic acid of Claim 33 comprising the full-length coding sequence of the nucleic acid sequence of SEQ ID NO:228 shown in Figure 131 SEQ ID NO:228).
- 40. (previously presented) The isolated nucleic acid of Claim 33 comprising the full-length coding sequence of the cDNA deposited under ATCC accession number 203268.
 - 41. (canceled)
 - 42. (canceled)
 - 43. (canceled)
 - 44. (previously presented) A vector comprising the nucleic acid of Claim 28.
- 45. (previously presented) The vector of Claim 44, wherein said nucleic acid is operably linked to control sequences recognized by a host cell transformed with the vector.
 - 46. (previously presented) A host cell comprising the vector of Claim 44.

47. (previously presented) The host cell of Claim 46, wherein said cell is a CHO cell, an *E. coli* or a yeast cell.